

SPARE PARTS LIST




Fig. 1 Back and front view




Fig. 2 Side view




Fig. 3 Top view

IT EM	Part name (Figure (10, 11, 12))	Figure No. or standard No.	Quantity																	
			T671/F	T671-DK/F	T671-AH/F	T671-AP/F	T671/F/WT	T671-DK/F/WT	T671-AH/F/WT	T671-AP/F/WT	T671/P	T671-DK/P	T671-AH/P	T671-AP/P	T671/P/WT	T671-DK/P/WT	T671-AH/P/WT	T671-AP/P/WT	T671-D/F	T671-D/P
1	Lower frame	51RPN-01.00.000	1	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-
2	Lower frame	51RPN-01.00.000- DK	-	1	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-
3	Lower frame	51RPN-01.00.000-A	-	-	1	1	-	-	1	1	-	-	1	-	-	-	1	1	-	-
4	Top frame	51RPN-02.00.000	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
5	Hydraulically braked traveling axis, set	51RPN-03.00.000	-	1	1	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-
6	Pneumatically braked traveling axis, set	51RPN-04.00.000	1	-	-	1	1	-	1	-	1	-	1	-	1	-	-	1	-	-
7	Pneumatic system	51RPN-05.00.000	1	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-
8	Pneumatic system	51RPN-05.00.000-WT	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-
9	Hydraulic system	51RPN-06.00.000	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Hydraulic system	51RPN-06.00.000- WT	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
11	Hydraulic system (Poland)	51RPN-07.00.000	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
12	Hydraulic system (Poland)	51RPN-07.00.000-WT	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	1	1
13	Hand brake	51RPN-08.00.000	1	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-
14	Hand brake	51RPN-08.00.000- DK	-	1	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-
15	Lever hand brake	51RPN-09.00.000	-	-	1	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-
16	Wiring system	51RPN-10.00.000	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
17	Front wall (FUHRMANN)	51RPN-11.00.000	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	1	-
18	Back wall, set (FUHRMANN)	51RPN-12.00.000	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	1	-
19	Side left wall (FUHRMANN)	51RPN-13.00.000	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	1	-
20	Right side wall (FUHRMANN)	51RPN-14.00.000	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	1	-
21	Set of aded top walls (FUHTMANN)	51RPN-15.00.000	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	1	-
22	Two pipe pneumatic system	51RPN-16.00.000	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	1	-
23	Lower frame (hamulec najazdowy)	51RPN-17.00.000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
24	Traveling axis, set	51RPN-19.00.000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
25	Overrunning brake installation	51RPN-20.00.000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
26	Draught bar	37RPN-03.00.000	1	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-
27	Rotatable draught bar, set	37RPN-18.00.000	-	1	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-
28	Austria draught bar	37RPN-21.00.000	-	-	1	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-

ITEM	Part name (Figure (10, 11, 12))	Figure No. or standard No.	Quantity																	
			T671/F	T671-DK/F	T671-AH/F	T671-AP/F	T671/F/WT	T671-DK/F/WT	T671-AH/F/WT	T671-AP/F/WT	T671/P	T671-DK/P	T671-AH/P	T671-AP/P	T671/P/WT	T671-DK/P/WT	T671-AH/P/WT	T671-AP/P/WT	T671-D/F	T671-D/P
29	Front wall (PRONAR)	29RPN-05.00.000	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	-	1
30	Back wall set (PRONAR)	29RPN-06.00.000	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	-	1
31	Side wall (PRONAR)	29RPN-07.00.000	-	-	-	-	-	-	-	-	2	2	2	2	2	2	2	2	-	1
32	Added top walls set (PRONAR)	29RPN-14.00.000	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	-	1
33	Support	51RPN-00.01.000	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
34	Left post (FUHRMANN)	51RPN-00.02.000	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	1	-
35	Right post (FUHRMANN)	51RPN-00.03.000	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	1	-
36	Chute, set (PRONAR)	51RPN-00.04.000	-	-	-	-	-	-	-	-	1*	1*	1*	1*	1*	1*	1*	1*	-	1*
37	Wheel, set	45RPN-00.09.300	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
38	Support with wheel, set	45RPN-00.14.000	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
39	Lower ladder (500)	45RPN-00.16.000	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	1	-
40	Chute, set (FUHRMANN)	45RPN-00.29.000	1*	1*	1*	1*	1*	1*	1*	1*	-	-	-	-	-	-	-	-	1*	-
41	Rear attachment, set	37RPN-00.09.000	-	-	-	-	1	1	1	1	-	-	-	-	-	1	1	1	1	1
42	Rear lock	29RPN-00.02.000	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
43	Left post	29RPN-00.03.000	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	-	1
44	Right post	29RPN-00.04.000	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	-	1
45	Cord throwing put mechanism	29RPN-00.05.000	-	-	-	-	-	-	-	-	4	4	4	4	4	4	4	4	-	4
46	Coupling cord	29RPN-00.09.000	-	-	-	-	-	-	-	-	2	2	2	2	2	2	2	2	-	2
47	Lower ladder	29RPN-00.12.000	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	-	1
48	Top ladder	29RPN-00.13.000	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	-	1
49	Dump pin I	29RPN-00.20.000	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
50	Dump pin II	29RPN-00.21.000	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
51	Guard rail	37RPN-00.00.100	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
52	Strand set	29RPN-00.00.300	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
53	Bow screw	51RPN-00.00.001	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
54	T671 label	51RPN-00.00.003	2	-	-	-	2	-	-	-	2	-	-	-	2	-	-	-	-	-
55	350 kPa label	45RPN-00.00.005	2	-	-	-	2	-	-	-	2	-	-	-	2	-	-	-	-	-
56	Information label	37RPN-00.00.002	1	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-

ITEM	Part name (Figure (10, 11, 12))	Figure No. or standard No.	Quantity																	
			T671/F	T671-DK/F	T671-AH/F	T671-AP/F	T671/F/WT	T671-DK/F/WT	T671-AH/F/WT	T671-AP/F/WT	T671/P	T671-DK/P	T671-AH/P	T671-AP/P	T671/P/WT	T671-DK/P/WT	T671-AH/P/WT	T671-AP/P/WT	T671-D/F	T671-D/P
57	Data plate	37RPN-00.00.009	-	1	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-
58	Support pin	29RPN-00.00.009	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
59	Post's hole plug	29RPN-00.00.010	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
60	Data plate	29RPN-00.00.011	1	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-
61	Information label	29RPN-00.00.012	1	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-
62	Label – Load capacity 5000 kg	29RPN-00.00.017	2	-	-	-	2	-	-	-	2	-	-	-	2	-	-	-	-	-
63	Information label III	29RPN-00.00.024	1	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-
64	Stick-on rectangular white reflective spot		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
65	Stick-on rectangular yellow reflective spot		4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
66	Reflective triangle DOB31		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
67	Slow-speed vehicles distinguishing plate		1*	1*	1*	1*	1*	1*	1*	1*	1*	1*	1*	1*	1*	1*	1*	1*	1*	1*
68	Hole plug IKP45		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
69	Black stud EPOM, 1 SR1089 type	Cat. No. 461534	-	-	-	-	-	-	-	-	30	30	30	30	30	30	30	30	-	30
69	Black stud EPOM, 1 SR1089 type	Cat. No. 461534	-	-	-	-	-	-	-	-	30	30	30	30	30	30	30	30	-	30
70	Side foot step EB 20-010 Zinc		-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	-	1
71	Warning reflective triangle		1*	1*	1*	1*	1*	1*	1*	1*	1*	1*	1*	1*	1*	1*	1*	1*	1*	1*
72	Rivet P al./Fe 3x8	PN-83/M-82971	4	4	-	-	4	4	-	-	4	4	-	-	4	4	-	-	-	-
73	Cotter pin S-Zn 4 x 32	PN-76/M-82001	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12
74	Bolt M24x170-8.9-B-Fe/Zn	PN-85/M-82101	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
75	Bolt M12x35-8.8-B-Fe/Zn	PN-85/M-82105	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
76	Bolt M10x30-8.8-B-Fe/Zn	PN-85/M-82105	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
77	Bolt M8x25-8.8-B-Fe/Zn5	PN-85/M-82105	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44
78	Screw M5x20-8.8-B-Fe/Zn5	PN-85/M-82215	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
79	Nut M24-8-B-Fe/Zn5	PN-85/M-82175	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
80	Nut M20x1.5-5-B-Fe/Zn5	PN-85/M-82144	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16
81	Nut M12-5-B-Fe/Zn5	PN-85/M-82144	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
82	Nut M10-5-B-Fe/Zn5	PN-85/M-82144	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
83	Nut M8-5-B-Fe/Zn5	PN-85/M-82144	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10

ITEM	Part name (Figure (10, 11, 12)	Figure No. or Standard No.	Quantity																	
			T671/F	T671-DK/F	T671-AH/F	T671-AP/F	T671/F/WT	T671-DK/F/WT	T671-AH/F/WT	T671-AP/F/WT	T671/P	T671-DK/P	T671-AH/P	T671-AP/P	T671/P/WT	T671-DK/P/WT	T671-AH/P/WT	T671-AP/P/WT	T671-D/F	T671-D/P
84	Nut M5-5-B-Fe/Zn5	PN-85/M-82144	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
85	Washer 21-Fe/Zn5	PN-85/M-82005	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
86	Washer 12.2-Fe/Zn5	PN-85/M-82008	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
87	Washer 10.5-Fe/Zn5	PN-85/M-82030	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
88	Washer 8.5-Fe/Zn	PN-85/M-82030	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34
89	Washer 8.4-Fe/Zn5	PN-85/M-82005	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
90	Washer Z 10.2-Fe/Zn5	PN-85/M-82008	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
91	Washer Z 8.2-Fe/Zn5	PN-85/M-82008	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44
92	Washer Z 5.1-Fe/Zn5	PN-85/M-82008	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4

* special equipment on request




Fig. 4 Lower frame

ITEM	Part name (Figure (13))	Figure No. or standard No.	Quantity																	
			T671/F	T671-DK/F	T671-AH/F	T671-AP/F	T671/F/WT	T671-DK/F/WT	T671-AH/F/WT	T671-AP/F/WT	T671/P	T671-DK/P	T671-AH/P	T671-AP/P	T671/P/WT	T671-DK/P/WT	T671-AH/P/WT	T671-AP/P/WT	T671-D/F	T671-D/P
1	Lower frame	51RPN-01.00.000	1	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-
1	Lower frame	51 RPN-01.00.000-DK	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
1	Lower frame	51 RPN-01.00.000-A	-	-	1	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-
2	Bolt M8x30–5.8-B-Fe/Zn5	PN-85/M-82105	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
3	M8-5-B-Fe/Zn5 nut	PN-86/M-82144	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
4	Washer 8.5 Fe/Zn5	PN-78/M-82005	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
5	Spring washer Z8.2 Fe Fe/Zn9	PN-77/M-82008	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
6	Washer	29RPN–00.00.002	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
7	Nut M12-5-B-Fe/Zn5	PN-85/M-82175	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
8	Bolt M12x85-5.8-B-Fe/Zn5	PN-85/M-82101	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2




Fig. 5 Single pipe pneumatic system

ITEM	Part name (Figure 14)	Figure No. or standard No.	Quantity																	
			T671/F	T671-DK/F	T671-AH/F	T671-AP/F	T671/F/WT	T671-DK/F/WT	T671-AH/F/WT	T671-AP/F/WT	T671/P	T671-DK/P	T671-AH/P	T671-AP/P	T671/P/WT	T671-DK/P/WT	T671-AH/P/WT	T671-AP/P/WT	T671-D/F	T671-D/P
1	Air tank 20l	29RPN-11.01.000	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-	1	-	-
2	Pipe O-O 3750	51RPN-05.01.000	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-	1	-	-
3	Pipe O-Z 2500	51RPN-05.02.000	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-	1	-	-
4	Pipe O-W 500	51RPN-05.03.000	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-	1	-	-
5	Pipe W-W 4500	51RPN-05.04.000	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-
6	Control joint 88.10.011.0		1	-	-	1	1	-	-	1	1	-	-	1	1	-	-	1	-	-
7	Air tank band	29RPN-00.14.000	2	-	-	2	2	-	-	2	2	-	-	2	2	-	-	2	-	-
8	Long coupler	6RPN-01.00.06	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-
9	Connecting bolt	6RPN-01.00.10	4	-	-	4	3	-	-	3	4	-	-	4	3	-	-	3	-	-
10	Short coupler	6RPN-01.00.11	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-	1	-	-
11	Connecting bolt spec.	29RPN-11.00.001	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-
12	Valve range	51RPN-05.00.001	2	-	-	2	2	-	-	2	2	-	-	2	2	-	-	2	-	-
13	Pneumatic cylinder		1	-	-	1	1	-	-	1	1	-	-	1	1	-	-	1	-	-
14	Control valve 44.11.011.0		1	-	-	1	1	-	-	1	1	-	-	1	1	-	-	1	-	-
15	Cable connector 87.30.010		1	-	-	1	1	-	-	1	1	-	-	1	1	-	-	1	-	-
16	Cable connector 87.30.011.0		-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-
17	Draining valve 83.10.012.0		1	-	-	1	1	-	-	1	1	-	-	1	1	-	-	1	-	-
18	Band Ribencip 22		4	-	-	4	9	-	-	9	4	-	-	4	9	-	-	9	-	-
19	Copper washer 27/22/2		14	-	-	14	15	-	-	15	14	-	-	14	15	-	-	15	-	-
20	Copper washer 20/12.5/2		-	-	-	-	2	-	-	2	-	-	-	-	2	-	-	2	-	-
21	Self-tapping screw φ5.5x19	DIN-7504-K	4	-	-	4	6	-	-	6	4	-	-	4	6	-	-	6	-	-
22	Bolt M12x30-5.-B-Fe/Zn5	PN-85/M-82105	4	-	-	4	4	-	-	4	4	-	-	4	4	-	-	4	-	-
23	Bolt M10x55-5.8-B-Fe/Zn5	PN-85/M-82101	2	-	-	2	2	-	-	2	2	-	-	2	2	-	-	2	-	-
24	Bolt M6x16-5.8-B-Fe/Zn5	PN-85/M-82105	3	-	-	3	3	-	-	3	3	-	-	3	3	-	-	3	-	-

ITEM	Part name (Figure 14)	Figure No. or standard No.	Quantity																		
			T671-F	T671-DK/F	T671-AH/F	T671-AP/F	T671/F/WT	T671-DK/F/WT	T671-AH/F/WT	T671-AP/F/WT	T671/P	T671-DK/P	T671-AH/P	T671-AP/P	T671/P/WT	T671-DK/P/WT	T671-AH/P/WT	T671-AP/P/WT	T671-D/F	T671-D/P	
1	Nut M22x1.5-04-B-Fe/Zn5	PN-86/M-82153	-	-	-	-	1	-	-	1	-	-	-	1	-	-	1	-	-	-	
2	Nut M12-5-B-Fe/Zn5	PN-86/M-82144	4	-	-	4	4	-	-	4	4	-	-	4	4	-	4	-	-	-	
3	Nut M10-5-B-Fe/Zn5	PN-86/M-82144	6	-	-	6	6	-	-	6	6	-	-	6	6	-	6	-	-	-	
4	Nut M6-5-B-Fe/Zn5	PN-86/M-82144	3	-	-	3	3	-	-	3	3	-	-	3	3	-	3	-	-	-	
5	Washer 12.5-Fe/Zn5	PN-86/M-82005	4	-	-	4	4	-	-	4	4	-	-	4	4	-	4	-	-	-	
6	Washer Z10.2-Fe/Zn5	PN-86/M-82008	6	-	-	6	6	-	-	6	6	-	-	6	6	-	6	-	-	-	
7	Spring washer Z12.2-Fe/Zn5	PN-86/M-82008	4	-	-	4	4	-	-	4	4	-	-	4	4	-	4	-	-	-	
8	Spring washer Z6.1-Fe/Zn5	PN-86/M-82008	3	-	-	3	3	-	-	3	3	-	-	3	3	-	3	-	-	-	




Fig. 6 Rotatable draught bar, full assembly

ITEM	Part name (Figure 15)	Figure No. or standard No.	Quantity																		
			T671-F	T671-DK/F	T671-AH/F	T671-AP/F	T671/F/WT	T671-DK/F/WT	T671-AH/F/WT	T671-AP/F/WT	T671/P	T671-DK/P	T671-AH/P	T671-AP/P	T671/P/WT	T671-DK/P/WT	T671-AH/P/WT	T671-AP/P/WT	T671-D/F	T671-D/P	
1	Draught bar	37RPN-18.01.000	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	
2	Rotatable strand	37RPN-18.00.001	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	
3	Castellated nut ZM36x3-6-B	PN-86/M-82148	-	1	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	
4	Washer	37RPN-18.00.002	-	1	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	
5	Cotter pin S-Zn 6.3x71	PN-76/M-82001	-	1	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	




Fig. 7 Two pipe pneumatic system, side view




Fig. 8 Two pipe pneumatic system, top view

ITEM	Part name (Figure 16, 17)	Figure No. or standard No.	Quantity																	
			T671-F	T671-DK/F	T671-AH/F	T671-AP/F	T671-F/WT	T671-DK/F/WT	T671-AH/F/WT	T671-AP/F/WT	T671/P	T671-DK/P	T671-AH/P	T671-AP/P	T671-P/WT	T671-DK/P/WT	T671-AH/P/WT	T671-AP/P/WT	T671-D/F	T671-D/P
1	Air tank 20 l.	29RPN-11.01.000	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-
2	Pipe O-W 3950	51RPN-16.01.000	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-
3	Pipe W-W 900	51RPN-16.02.000	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-
4	Pipe O-W 5000	51RPN-16.03.000	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-
5	Pipe O-W 300	51RPN-16.04.000	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-
6	Pipe Z-Z 2300	29RPN-11.09.000	-	-	-	-	2	-	-	2	-	-	-	-	2	-	-	2	-	-
7	Pipe W-W 1300	45RPN-11.09.000	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-
8	Pipe O-W 4600	53RPN-11.02.000	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-
9	Air tank band	29RPN-00.14.000	-	-	-	-	2	-	-	2	-	-	-	-	2	-	-	2	-	-
10	Long coupler	6RPN-01.00.06	-	-	-	-	2	-	-	2	-	-	-	-	2	-	-	2	-	-
11	Connecting bolt	6RPN-01.00.06	-	-	-	-	2	-	-	2	-	-	-	-	2	-	-	2	-	-
12	Short coupler	6RPN-01.00.11	-	-	-	-	4	-	-	4	-	-	-	-	4	-	-	4	-	-
13	Special connecting bolt	29RPN-11.00.001	-	-	-	-	2	-	-	2	-	-	-	-	2	-	-	2	-	-
14	Valve range	51RPN-05.00.001	-	-	-	-	2	-	-	2	-	-	-	-	2	-	-	2	-	-
15	Control joint 88.10.011.0		-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-
16	Pneumatic cylinder ϕ125x53.132.00/A		-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-
17	Control valve 44.12.010.0		-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-
18	Braking force controller 61.11.012.0		-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-
19	Cable connector 87.10.030.0		-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-
20	Cable connector 87.15.030.0		-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-
21	Cable connector 87.10.020.0		-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-
22	Cable connector 87.15.020.0		-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-
23	Drain valve 83.10.012.0		-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-
24	Filter 81.01.010.0		-	-	-	-	2	-	-	2	-	-	-	-	2	-	-	2	-	-

ITEM	Part name (Figure 16, 17)	Figure No. or standard No.	Quantity																	
			T671/F	T671-DK/F	T671-AH/F	T671-AP/F	T671/F/WT	T671-DK/F/WT	T671-AH/F/WT	T671-AP/F/WT	T671/P	T671-DK/P	T671-AH/P	T671-AP/P	T671/P/WT	T671-DK/P/WT	T671-AH/P/WT	T671-AP/P/WT	T671-D/F	T671-D/P
25	Band RIBENCLIP 22		-	-	-	-	23	-	-	23	-	-	-	-	23	-	-	23	-	-
26	Copper washer 27/22/		-	-	-	-	20	-	-	20	-	-	-	-	20	-	-	20	-	-
27	Copper washer 20/12.5/2		-	-	-	-	8	-	-	8	-	-	-	-	8	-	-	8	-	-
28	Self-tapping screw ϕ 5.5x19	DIN-7504-K	-	-	-	-	17	-	-	17	-	-	-	-	17	-	-	17	-	-
29	Round sealing ring ϕ 20x5	PN-64/M-73093	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-
30	Bolt M12x30-5.8-B-Fe/Zn5	PN-85/M-82105	-	-	-	-	4	-	-	4	-	-	-	-	4	-	-	4	-	-
31	Bolt M10x55-5.8-B-Fe/Zn5	PN-85/M-82101	-	-	-	-	2	-	-	2	-	-	-	-	2	-	-	2	-	-
32	Bolt M8x30-5.8-B-Fe/Zn5	PN-85/M-82105	-	-	-	-	2	-	-	2	-	-	-	-	2	-	-	2	-	-
33	Bolt M6x16-5.8-B-Fe/Zn5	PN-85/M-82105	-	-	-	-	3	-	-	3	-	-	-	-	3	-	-	3	-	-
34	Nut M22x1.5-04-B-Fe/Zn5	PN-86/M-82153	-	-	-	-	2	-	-	2	-	-	-	-	2	-	-	2	-	-
35	Nut M12-5-B-Fe/Zn5	PN-86/M-82144	-	-	-	-	4	-	-	4	-	-	-	-	4	-	-	4	-	-
36	Nut M10-5-B-Fe/Zn5	PN-86/M-82144	-	-	-	-	6	-	-	6	-	-	-	-	6	-	-	6	-	-
37	Nut M8-5-B-Fe/Zn5	PN-86/M-82144	-	-	-	-	2	-	-	2	-	-	-	-	2	-	-	2	-	-
38	Nut M6-5-B-Fe/Zn5	PN-86/M-82144	-	-	-	-	3	-	-	3	-	-	-	-	3	-	-	3	-	-
39	Washer 12.5-Fe/Zn5	PN-78/M-82005	-	-	-	-	4	-	-	4	-	-	-	-	4	-	-	4	-	-
40	Washer Z10.2-Fe/Zn5	PN-77/M-82008	-	-	-	-	6	-	-	6	-	-	-	-	6	-	-	6	-	-
41	Washer sprężysta Z12.2-Fe/Zn5	PN-77/M-82008	-	-	-	-	4	-	-	4	-	-	-	-	4	-	-	4	-	-
42	Washer 8.4-Fe/Zn5	PN-78/M-82005	-	-	-	-	2	-	-	2	-	-	-	-	2	-	-	2	-	-
43	Spring washer Z8.2-Fe/Zn5	PN-77/M-82008	-	-	-	-	2	-	-	2	-	-	-	-	2	-	-	2	-	-




Fig. 9 Hydraulic system, side view




Fig. 10 Hydraulic system, top view

ITEM	Part name (Figure 18, 19)	Figure No. or standard No.	Quantity																	
			T671/F	T671-DK/F	T671-AH/F	T671-AP/F	T671/F/WT	T671-DK/F/WT	T671-AH/F/WT	T671-AP/F/WT	T671/P	T671-DK/P	T671-AH/P	T671-AP/P	T671/P/WT	T671-DK/P/WT	T671-AH/P/WT	T671-AP/P/WT	T671-D/F	T671-D/P
1	Pipe DN13 H2.12 H4.13 2400	51RPN-06.01.000	1	2	2	1	-	1	1	1	-	1	2	2	1	-	1	-	-	-
2	Pipe Dn13 h17.8 H413 1300	51RPN-06.02.000	1	2	2	1	1	1	1	1	1	1	2	2	1	1	1	1	1	1
3	Pipe DN13 H17.8 H2.12 2000	51RPN-06.03.000	-	-	-	-	1	1	1	1	-	-	-	-	-	1	1	1	1	1
4	Pipe DN13 H17.8 H4.13 550	51RPN-06.04.000	-	-	-	-	2	2	2	2	-	-	-	-	-	2	2	2	2	2
5	Pipe DN13 H17.8 H2.12 300	51RPN-06.05.000	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-
6	Hydraulic pipe	51RPN-06.07.000	-	2	2	-	2	3	3	2	-	2	2	-	-	2	3	2	2	2
7	Pipe DN13 H2.12 H4.13 2200	41RPN-12.02.000	-	-	-	-	1	1	1	1	-	-	-	-	-	1	1	1	1	1
8	Pipe DN13 H2.12 H12.850	45RPN-12.08.000	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-
9	Pipe DN13 H17.8 H17.8 700	41RPN-12.01.000	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
10	Pipe DN13 H2.12 H4.13 1300	53RPN-14.04.000	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-
11	Pin	29RPN-11.00.004	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
12	Rope pulley	29RPN-13.00.001	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
13	Wheel axis	29RPN-13.00.002	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
14	Spade lug	37RPN-19.02.000	-	1	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-	-
15	Cylinder pin	27RPN-19.00.003	-	1	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-	-
16	Coupler body	12RPN-18.00.02	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
17	Coupler	51RPN-06.00.001	-	1	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-	-
18	Quick coupler - pin	ZSR32-W01	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-	1	1	1
19	Quick coupler – pin ISO12.5	Sz12-W06	1*	2	2	1*	1*	2	2	1*	1*	2	2	1*	1*	2	2	1*	1*	1*
20	Quick coupler - socket	Sz12-G06L	-	-	-	-	1*	2	2	1*	-	-	-	-	-	1*	2	2	1*	1*
21	Quick coupler - socket	ZSR32-G01L	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	1
22	Telescopic cylinder CT-S224-16-60/4/1300		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
23	Plunger cylinder CN2D-16-25/140z		-	1	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-	-
24	Cylinder sling ZCT-105		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
25	Ball bearing 55ŁK-55/0.00		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
26	Cut-off valve Pister	HBKH-15L-DN13	-	-	-	-	1	1	1	1	-	-	-	-	-	1	1	1	1	1

* special equipment on request

ITEM	Part name (Figure 18, 19)	Figure No. or standard No.	Quantity																	
			T671/F	T671-DK/F	T671-AH/F	T671-AP/F	T671/F/WT	T671-DK/F/WT	T671-AH/F/WT	T671-AP/F/WT	T671/P	T671-DK/P	T671-AH/P	T671-AP/P	T671/P/WT	T671-DK/P/WT	T671-AH/P/WT	T671-AP/P/WT	T671-D/F	T671-D/P
27	Hydraulic three-way valve	29RPN-13.00.003	-	-	-	-	1	1	1	1	1	-	-	-	1	1	1	1	1	1
28	T-coupler body	PN-66/M-73147	-	-	-	-	-	1	1	1	-	-	-	-	-	1	1	-	-	-
29	Rope thimble A6 oc	PN-66/M-80247	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
30	Bow clamp 6.5 oc	PN-73/M-80241	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
31	Rope φ6 6x19 1550		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
32	Thermoshrinkable PBF 12/6	PN-89/C-89209	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
33	Band RIBECLIP 22		2	4	4	2	3	8	8	3	2	4	4	2	3	8	8	3	3	3
34	Band RIBECLIP 16		3	6	6	3	3	9	9	3	3	6	6	3	3	9	9	3	3	3
35	Cotter pin S-Zn 4x32	PN-76/M-82001	4	6	6	4	4	6	6	4	4	6	6	4	4	6	6	4	4	4
36	Cotter pin S-Zn3.2x25	PN-76/M-82001	-	2	2	-	-	2	2	-	-	2	2	-	2	2	-	-	-	-
37	Copper washer 27/22/2		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
38	Self-tapping screw φ5.5x19	DIN-7504-K	3	6	6	3	4	10	10	4	3	6	6	3	4	10	10	4	4	4
39	Bolt M12x35-8.8-B-Fe/Zn5	PN-85/M-2105	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
40	Bolt M6x50-5.8-B-Fe/Zn5	PN-85/M-82101	-	-	-	-	2	2	2	2	-	-	-	-	2	2	2	2	2	2
41	Bolt M6x45-5.8-B-Fe/Zn5	PN-85/M-82101	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
42	Bolt M6x16-5.8-B-Fe/Zn5	PN-85/M-82105	3	6	6	3	3	6	6	3	3	6	6	3	3	6	6	3	3	3
43	Nut M22x1.5-04-B-Fe/Zn5	PN-86/M-82153	-	-	-	-	1	1	1	1	-	-	-	-	1	1	1	1	1	1
44	Nut M6-5-B-Fe/Zn5	PN-86/M-82144	3	6	6	3	3	6	6	3	3	6	6	3	3	6	6	3	3	3
45	Nut M5-5-B-Fe/Zn5	PN-86/M-82144	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
46	Washer 17 Fe/Zn5	PN-78/M-82005	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
47	Washer 12.5 Fe/Zn5	PN-78/M-82005	-	2	2	-	-	2	2	-	-	2	2	-	2	2	-	-	-	-
48	Washer Z 12.2 Fe/Zn5	PN-78/M-82008	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
49	Washer 6.4 Fe/Zn5	PN-78/M-82005	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
50	Washer sprężysta Z6.1-Fe/Zn5	PN-77/M-82008	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
51	Sealing ring 11.3x2.4	PN-60/M-86961	-	1	1	-	-	1	1	-	-	1	1	-	1	1	-	-	-	-
52	Pin hood ISO 12.5		-	2	2	-	-	2	2	-	-	2	2	-	2	2	-	-	-	-
53	Label	29RPN-00.00.023	-	-	-	-	1	1	1	1	-	-	-	-	1	1	1	1	1	1

* special equipment on request




Fig. 11 Hand brake

ITEM	Part name (Figure 20)	Figure No. or standard No.	Quantity																	
			T671/F	T671-DK/F	T671-AH/F	T671-AP/F	T671/F/WT	T671-DK/F/WT	T671-AH/F/WT	T671-AP/F/WT	T671/P	T671-DK/P	T671-AH/P	T671-AP/P	T671/P/WT	T671-DK/P/WT	T671-AH/P/WT	T671-AP/P/WT	T671-D/F	T671-D/P
1	Hand brake pulling off device	45RPN-22.01.000	-	1	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-
2	Brake mechanism	29RPN-12.01.000	1	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-	-	-
3	Brake pin	45RPN-22.00.002	-	1	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-
4	Pin	29RPN-11.00.004	1	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-	-	-
5	Pin	29RPN-12.00.001	1	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-	-	-
6	Wheel axis	29RPN-13.00.002	1	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-	-	-
7	Rope pulley	29RPN-13.00.001	1	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-	-	-
8	Bolt sheckel S.2768		1	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-	-	-
9	Rope thimble A6 oc	PN-66/M-80247	2	2	-	-	2	2	-	-	2	2	-	-	2	2	-	-	-	-
10	Bow clamp 6.5 oc	PN-73/M-80241	4	4	-	-	4	4	-	-	4	4	-	-	4	4	-	-	-	-
11	Rope $\phi 6$ 6x19 l=2730		1	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-	-	-
12	Washer 17 Fe/Zn5	PN-78/M-82005	2	2	-	-	2	2	-	-	2	2	-	-	2	2	-	-	-	-
13	Washer 12.5 Fe/Zn5	PN-78/M-82005	2	4	-	-	2	4	-	-	2	4	-	-	2	4	-	-	-	-
14	Cotter pin S-Zn-4x40	PN-76/M-82001	4	4	-	-	4	4	-	-	4	4	-	-	4	4	-	-	-	-
15	Cotter pin S-Z 3.2x25	PN-76/M-82001	2	4	-	-	2	4	-	-	2	4	-	-	2	4	-	-	-	-
16	Nut M5-5-B Fe/Zn5	PN-86/M-82144	8	8	-	-	8	8	-	-	8	8	-	-	8	8	-	-	-	-
17	Thermoshrinkable pipe PBF 12/6 L=30	PN-89/C-89209	2	2	-	-	2	2	-	-	2	2	-	-	2	2	-	-	-	-




Fig. 12 Lever hand brake (typ Peitz)

ITEM	Part name (Figure 21)	Figure No. or standard No.	Quantity																	
			T671/F	T671-DK/F	T671-AH/F	T671-AP/F	T671/F/WT	T671-DK/F/WT	T671-AH/F/WT	T671-AP/F/WT	T671/P	T671-DK/P	T671-AH/P	T671-AP/P	T671/P/WT	T671-DK/P/WT	T671-AH/P/WT	T671-AP/P/WT	T671-D/F	T671-D/P
1	Thin cord, set	51RPN-09.01.000	-	-	1	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-
2	Brake lever Art.-070015		-	-	1	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-
3	Brake fastener 070020		-	-	2	2	-	-	2	2	-	-	2	2	-	-	2	2	-	-
4	Bolt sheckel S.2768		-	-	1	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-
5	Rope thimble A6 oc	PN-66/M-80247	-	-	1	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-
6	Bow clamp 6.5 oc	PN-73/M-80241	-	-	2	2	-	-	2	2	-	-	2	2	-	-	2	2	-	-
7	Bolt M10x30-8.8-B-Fe/Zn5	PN-85/M-82105	-	-	2	2	-	-	2	2	-	-	2	2	-	-	2	2	-	-
8	Nut M16-04-B-Fe/Zn5	PN-86/M-82153	-	-	1	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-
9	Nut M10-5-B-Fe/Zn5	PN-86/M-82144	-	-	2	2	-	-	2	2	-	-	2	2	-	-	2	2	-	-
10	Nut M5-5-B-Fe/Zn5	PN-86/M-82144	-	-	4	4	-	-	4	4	-	-	4	4	-	-	4	4	-	-
11	Thermoshrinkable pipe PBF 12/6 l=30	PN-89/C-89209	-	-	1	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-
12	Washer Z16.3 Fe/Zn9	PN-77/M-82008	-	-	1	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-
13	Washer 10.5-Fe/Zn5	PN-78/M-82005	-	-	2	2	-	-	2	2	-	-	2	2	-	-	2	2	-	-
14	Washer Z10.2-Fe/Zn5	PN-77/M-82008	-	-	2	2	-	-	2	2	-	-	2	2	-	-	2	2	-	-




Fig. 13 FUHRMANN added top walls set

ITEM	Part name (Figure 22)	Figure No. or standard No.	Quantity																	
			T671/F	T671-DK/F	T671-AH/F	T671-AP/F	T671/F/WT	T671-DK/F/WT	T671-AH/F/WT	T671-AP/F/WT	T671/P	T671-DK/P	T671-AH/P	T671-AP/P	T671/P/WT	T671-DK/P/WT	T671-AH/P/WT	T671-AP/P/WT	T671-D/F	T671-D/P
1	Rear added top wall (FUHRMANN)	51RPN-15.01.000	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	1	-
2	Side added top wall (FUHRMANN)	51RPN-15.02.000	2	2	2	2	2	2	2	2	2	-	-	-	-	-	-	-	2	-
3	Front added top wall (FUHRMANN)	51RPN-15.03.000	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	1	-
4	Left top post (500)	45RPN-31.04.000	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	1	-
5	Right top post (500)	45RPN-31.05.000	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	1	-
6	Added top wall ladder (500)	45RPN-31.00.100	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	1	-
7	Top hinge	45RPN-17.00.200	10	10	10	10	10	10	10	10	10	-	-	-	-	-	-	-	10	-
8	Side hinge pin	45RPN-17.00.300	8	8	8	8	8	8	8	8	8	-	-	-	-	-	-	-	8	-
9	Rear hinge pin	45RPN-17.00.400	2	2	2	2	2	2	2	2	2	-	-	-	-	-	-	-	2	-
10	Side foot step EB 20-010 Zinc		1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	1	-
11	Pin S.3545		10	10	10	10	10	10	10	10	10	-	-	-	-	-	-	-	10	-
12	Self-locking nut M12-5-b-Fe/Zn5	PN-85/M-82175	10	10	10	10	10	10	10	10	10	-	-	-	-	-	-	-	10	-
13	Bolt M8x25-8.8-B-Fe/Zn	PN-85/M-82105	8	8	8	8	8	8	8	8	8	-	-	-	-	-	-	-	8	-
14	Nut M8-5-B-Fe/Zn5	PN-86/M-82144	8	8	8	8	8	8	8	8	8	-	-	-	-	-	-	-	8	-
15	Washer 8.4-Fe/Zn5	PN-86/M-82005	8	8	8	8	8	8	8	8	8	-	-	-	-	-	-	-	8	-
16	Washer Z 8.2-Fe/Zn5	PN-77/M-82008	8	8	8	8	8	8	8	8	8	-	-	-	-	-	-	-	8	-




Fig. 14 PRONAR added top walls set

ITEM	Part name (Figure 23)	Figure No. or standard No.	Quantity																		
			T671-F	T671-DK/F	T671-AH/F	T671-AP/F	T671/F/WT	T671-DK/F/WT	T671-AH/F/WT	T671-AP/F/WT	T671/P	T671-DK/P	T671-AH/P	T671-AP/P	T671/P/WT	T671-DK/P/WT	T671-AH/P/WT	T671-AP/P/WT	T671-D/F	T671-D/P	
1	Front added top wall	29RPN-14.01.000	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	-	1	
2	Rear added top wall	29RPN-14.02.000	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	-	1	
3	Side added top wall	29RPN-14.03.000	-	-	-	-	-	-	-	2	2	2	2	2	2	2	2	2	-	2	
4	Cotter pin, set	29RPN-14.06.200	-	-	-	-	-	-	-	10	10	10	10	10	10	10	10	10	-	10	
5	Hinge pin	29RPN-14.06.001	-	-	-	-	-	-	-	10	10	10	10	10	10	10	10	10	-	10	
6	Added top wall hinge lower lug	29RPN-14.06.100	-	-	-	-	-	-	-	10	10	10	10	10	10	10	10	10	-	10	
7	Right top post	29RPN-14.05.000	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	-	1	
8	Left top post	29RPN-14.04.000	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	-	1	




Fig. 15 Wiring system

ITEM	Part name (Figure 24)	Figure No. or standard No.	Quantity																	
			T671/F	T671-DK/F	T671-AH/F	T671-AP/F	T671/F/WT	T671-DK/F/WT	T671-AH/F/WT	T671-AP/F/WT	T671/P	T671-DK/P	T671-AH/P	T671-AP/P	T671/P/WT	T671-DK/P/WT	T671-AH/P/WT	T671-AP/P/WT	T671-D/F	T671-D/P
1	Main group of wires	37RPN-10.01.00	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2	Front group of wires	37RPN-10.02.00	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3	Rear group of wires	37RPN-10.03.00	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4	Coupling wire	37RPN-10.04.00	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
5	Socket GN-7 (X7)	8JB001941-002	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
6	7-pin cscket washer	006004.60	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
7	Screw M5x35-5.8 Fe/Zn5	PN/M-82207	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
8	Spring washer 5.1 Fe/Zn9	PN/M-82008	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
9	Washer 5.3 Fe/Zn5	PN/M-82005	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
10	Nut M5-8-Fe/Zn5	PN/M-82144	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
11	Number plate lighting lamp LT - 120		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
12	Parking lights front lamp LO – 110PP		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
13	Rear combined lamp WE 549L		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
14	Rear combined lamp WE549P	03	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
15	Bulb C5W – SV 8.5		4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
16	Bolt M5x2.5-B-5.8 Fe/Zn5	PN/M-82105	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
17	Plastic band clip 4.5x160	AC RZ-46KT	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4




Fig. 16 Overrunning brake installation procedure

ITEM	Part name (Figure 25)	Figure No. or standard No.	Quantity																	
			T671/F	T671-DK/F	T671-AH/F	T671-AP/F	T671/F/WT	T671-DK/F/WT	T671-AH/F/WT	T671-AP/F/WT	T671/P	T671-DK/P	T671-AH/P	T671-AP/P	T671/P/WT	T671-DK/P/WT	T671-AH/P/WT	T671-AP/P/WT	T671-D/F	T671-D/P
1	Overrunning draught bar	TRRM8ADP10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
2	Brake cable fastener	37RPN-34.00.001	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
3	Brake cable fastener pin	37RPN-34.00.002	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
4	Brake cable wheel	30RPN-09.00.001	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
5	Pin	29RPN-12.00.001	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
6	Cable $\phi 8$ T6x37÷A ₀ l=3850		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
7	Bolt sheckel M12 S.2768		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
8	Rope thimble A8 cynk	PN-66/M-80247	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2
9	Tightener M12 S.11076		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
10	Bow clamp 8 cynk	PN-73/M-80241	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	6
11	Thermoshrinkable pipe PBF 12/6 l-30	BN-89/C-89209	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2
12	Bolt M20x80-10.9-B-Fe/Zn5	PN-85/M-82101	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4
13	Nut M20-10-B-Fe/Zn5	PN-86/M-82144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4
14	Nut M6-5-B-Fe/Zn5	PN-86/M-82144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	12
15	Nut M12-5-B-Fe/Zn5	PN-86/M-82144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
16	Mounting spring ring Z12	PN-81/M-85111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2
17	Cotter pin S-Zn 4x25	PN-76/M-82001	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2
18	Washer Z20.5	PN-77/M-82008	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4




Fig. 17 Overrunning traveling axis

ITEM	Part name (Figure 26)	Figure No. or standard No.	Quantity	
1	Overrunning traveling axis, set	51RPN-00.00.100	T671-D/P	1
			T671-D/F	1
2	Lower spring plate	51RPN-03.00.001	T671-AP/P/WT	-
			T671-AH/P/WT	-
			T671-DK/P/WT	-
			T671/P/WT	-
			T671-AP/P	-
			T671-AH/P	-
			T671-DK/P	-
			T671/P	-
			T671-AP/F/WT	-
			T671-AH/F/WT	-
			T671-DK/F/WT	-
			T671/F/WT	-
			T671-AP/F	-
			T671-AH/F	-
			T671-DK/F	-
			T671/F	-




Fig. 18 Hydraulically braked traveling axis

ITEM	Part name (Figure 27)	Figure No. or standard No.	Quantity																		
			T671-F	T671-DK/F	T671-AH/F	T671-AP/F	T671/F/WT	T671-DK/F/WT	T671-AH/F/WT	T671-AP/F/WT	T671/P	T671-DK/P	T671-AH/P	T671-AP/P	T671/P/WT	T671-DK/P/WT	T671-AH/P/WT	T671-AP/P/WT	T671-D/F	T671-D/P	
1	Traveling axis, set	37RPN-00.00.800	-	1	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-	-	
2	Bracket, set	37RPN-20.01.000	-	1	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-	-	
3	Hand brake beam	41RPN-07.01.000	-	1	1	-	-	1	1	-	-	1	1	-	-	1	1	-	-	-	
4	Expander lever	37RPN-20.00.001	-	2	2	-	-	2	2	-	-	2	2	-	-	2	2	-	-	-	
5	Lower spring plate	51RPN-03.00.001	-	2	2	-	-	2	2	-	-	2	2	-	-	2	2	-	-	-	

37




Fig. 20 PRONAR back wall




Fig. 21 PRONAR posts

Left post, Right post

ITEM	Part name (Figure 29)	Figure No. or standard No.	Quantity																	
			T671-F	T671-DK/F	T671-AH/F	T671-AP/F	T671/F/WT	T671-DK/F/WT	T671-AH/F/WT	T671-AP/F/WT	T671/P	T671-DK/P	T671-AH/P	T671-AP/P	T671/P/WT	T671-DK/P/WT	T671-AH/P/WT	T671-AP/P/WT	T671-D/F	T671-D/P
1	Back wall	29RPN-06.01.000	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	-	1
2	Bolt set	29RPN-06.02.000	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	-	1
3	Lever	29RPN-06.03.000	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	-	1
4	Strand	29RPN-06.04.000	-	-	-	-	-	-	-	2	2	2	2	2	2	2	2	2	-	2
5	Washer 21Fe/Zn5	PN 78/M-82005	-	-	-	-	-	-	-	2	2	2	2	2	2	2	2	2	-	2
6	Washer 13Fe/Zn5	PN-78/M-82005	-	-	-	-	-	-	-	6	6	6	6	6	6	6	6	6	-	6
7	Cotter pin S-Zn 5x28	PN-76/M-82001	-	-	-	-	-	-	-	2	2	2	2	2	2	2	2	2	-	2
8	Cotter pin S-Zn 3.2x16	PN-76/M-82001	-	-	-	-	-	-	-	4	4	4	4	4	4	4	4	4	-	4

ITEM	Part name (Figure 30)	Figure No. or standard No.	Quantity																	
			T671-D/P	T671-D/F	T671-AP/P/WT	T671-AH/P/WT	T671-DK/P/WT	T671/P/WT	T671-AP/P	T671-AH/P	T671-DK/P	T671/P	T671-AP/F/WT	T671-AH/F/WT	T671-DK/F/WT	T671/F/WT	T671-AP/F	T671-AH/F	T671-DK/F	T671/F
1	Left post	29RPN-00.03.100	1	-	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-
2	Right post	29RPN-00.04.100	1	-	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-
3	Right lock	29RPN-05.02.000	1	-	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-
4	Left lock	29RPN-05.01.000	1	-	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-
5	Plate clamp	29RPN-00.03.001	1	-	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-
6	Bolt M12x30-8.8-Fe/Zn5	PN-85/M-82105	1	-	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-
7	Washer 12.2 Fe/Zn5	PN-77/M-82008	1	-	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-




Fig. 22 FUHRMANN back wall




Fig. 23 FUHRMANN posts

Left post, Right post

ITEM	Part name (Figure 31)	Figure No. or standard No.	Quantity																		
			T671-F	T671-DK/F	T671-AH/F	T671-AP/F	T671/F/WT	T671-DK/F/WT	T671-AH/F/WT	T671-AP/F/WT	T671/P	T671-DK/P	T671-AH/P	T671-AP/P	T671/P/WT	T671-DK/P/WT	T671-AH/P/WT	T671-AP/P/WT	T671-D/F	T671-D/P	
1	Back wall	51RPN-12.01.000	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	1	-	
2	Bolt, set	29RPN-06.02.000	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	1	-	
3	Lever	29RPN-06.03.000	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	1	-	
4	Strand	29RPN-06.04.000	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	1	-	
5	Washer 21Fe/Zn5	PN-78/M-82005	2	2	2	2	2	2	2	2	-	-	-	-	-	-	-	-	2	-	
6	Washer 13Fe/Zn5	PN-78/M-82005	2	2	2	2	2	2	2	2	-	-	-	-	-	-	-	-	2	-	
7	Cotter pin S-Zn 5x28	PN-76/M-82001	6	6	6	6	6	6	6	6	-	-	-	-	-	-	-	-	6	-	
8	Cotter pin S-Zn 3.2x16	PN-76/M-82001	2	2	2	2	2	2	2	2	-	-	-	-	-	-	-	-	2	-	

ITEM	Part name (Figure 32)	Figure No. or standard No.	Quantity																		
			T671-F	T671-DK/F	T671-AH/F	T671-AP/F	T671/F/WT	T671-DK/F/WT	T671-AH/F/WT	T671-AP/F/WT	T671/P	T671-DK/P	T671-AH/P	T671-AP/P	T671/P/WT	T671-DK/P/WT	T671-AH/P/WT	T671-AP/P/WT	T671-D/F	T671-D/P	
1	Post (500) left	51RPN-00.02.000	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	1	-	
2	Post (500) right	51RPN-00.03.000	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	1	-	
3	Left lock	29RPN-05.01.000	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	1	-	
4	Right lock	29RPN-05.02.000	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	1	-	
5	Plate clamp	29RPN-00.03.001	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	1	-	
6	Bolt M12x30-8.8-B-Fe/Zn5	PN-85/M-82105	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	1	-	
7	Washer 12.2 Fe/Zn5	PN-77/M-82008	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	1	-	




Fig. 24 Rear attachment, set

ITEM	Part name (Figure 33)	Figure No. or standard No.	Quantity															
			T671-F	T671-DK/F	T671-AH/F	T671-AP/F	T671/F/WT	T671-DK/F/WT	T671-AH/F/WT	T671-AP/F/WT	T671/P	T671-DK/P	T671-AH/P	T671-AP/P	T671/P/WT	T671-DK/P/WT	T671-AH/P/WT	T671-AP/P/WT
1	Attachment body	27RPN-00.09.100	-	-	-	-	1	1	1	1	-	-	-	-	1	1	1	1
2	Pin, set	37RPN-00.09.200	-	-	-	-	1	1	1	1	-	-	-	-	1	1	1	1
3	Spring cotter pin 5x110-FeZn oc	PN-ISO 7072	-	-	-	-	1	1	1	1	-	-	-	-	1	1	1	1
4	Chain		-	-	-	-	1	1	1	1	-	-	-	-	1	1	1	1
5	Wheel I	29RPN-14.06.203	-	-	-	-	1	1	1	1	-	-	-	-	1	1	1	1
6	Wheel II	29RPN-14.06.204	-	-	-	-	1	1	1	1	-	-	-	-	1	1	1	1
7	Cotter pin S-Zn-3.2x25	PN-76/M-82001	-	-	-	-	1	1	1	1	-	-	-	-	1	1	1	1
8	Bolt M20x65-10.9-B-Fe/Zn	PN-85/M-82105	-	-	-	-	2	2	2	2	-	-	-	-	2	2	2	2
9	Nut M20-10-B-Fe/Zn5	PN-86/M-82144	-	-	-	-	4	4	4	4	-	-	-	-	4	4	4	4
Rear attachment, set			37RPN-00.09.000															




Fig. 25 Rear attachment

„Open” position, „Closed” position

ITEM	Part name (Figure 34)	Figure No. or standard No.	Quantity																		
			T671-F	T671-DK/F	T671-AH/F	T671-AP/F	T671/F/WT	T671-DK/F/WT	T671-AH/F/WT	T671-AP/F/WT	T671/P	T671-DK/P	T671-AH/P	T671-AP/P	T671/P/WT	T671-DK/P/WT	T671-AH/P/WT	T671-AP/P/WT	T671-D/F	T671-D/P	
1	Strand, set	29RPN-00.00.300	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2	Coupler	29RPN-00.02.001	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
3	Lever	29RPN-00.02.002	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
4	Spring-type straight pin	PN-89/M-85023	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
5	Self-locking nut M16-6-B-Fe/Zn5	PN-85/M-82175	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
6	Washer 17 Fe/Zn5	PN-78/M-82005	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Rear attachment, set		29RPN-00.02.000																			




Fig. 26 Cord throwing out assembly, set

Pozycja do wyładunku - Unloading position

ITEM	Part name (Figure 35)	Figure No. or standard No.	Quantity																		
			T671-D/P	T671-D/F	T671-AP/P/WT	T671-AH/P/WT	T671-DK/P/WT	T671/P/WT	T671-AP/P	T671-AH/P	T671-DK/P	T671/P	T671-AP/F/WT	T671-AH/F/WT	T671-DK/F/WT	T671/F/WT	T671-AP/F	T671-AH/F	T671-DK/F	T671/F	
1	Cord attachment	29RPN-00.05.100	1	-	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	
2	Assembly handle	29RPN-00.05.001	1	-	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	
3	Spring cotter pin 5x110-Fe/Zn5	PN-ISO 7072	1	-	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	
4	Self-locking nut M10-6-B Fe/Zn5	PN-85/m-82175	1	-	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	
5	Round washer 10.5 oc	PN-59/M-82030	1	-	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	
Cord throwing out assembly, set			29RPN-00.05.000																		

Attention! Given quantities refer to one cord throwing out assembly




Fig. 27 Coupling cord, set

ITEM	Part name (Figure 36)	Figure No. or standard No.	Quantity																		
			T671-D/P	T671-D/F	T671-AP/P/WT	T671-AH/P/WT	T671-DK/P/WT	T671/P/WT	T671-AP/P	T671-AH/P	T671-DK/P	T671/P	T671-AP/F/WT	T671-AH/F/WT	T671-DK/F/WT	T671/F/WT	T671-AP/F	T671-AH/F	T671-DK/F	T671/F	
1	Sheckel S.4869		2	-	2	2	2	2	2	2	2	-	-	-	-	-	-	-	-	-	
2	Tightener M8x100 oc S.11074		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Rope thimble A6 oc	PN-66/M-80247	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	
4	Bow clamp	PN-73/M-80241	4	4	4	4	4	4	4	4	4	-	-	-	-	-	-	-	-	-	
5	Thin cord $\phi 5.5$ T6x37+A ₀ L=1900		1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	
6	Nut M8-5 B-Fe/Zn5	PN-86/M-82144	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	
7	Nut M5-5-B Fe/Zn5	PN-86/M-82144	8	8	8	8	8	8	8	8	8	-	-	-	-	-	-	-	-	-	
8	Thermoshrinkable PBF 12/6 L=30	BN-89/C-89209	2	2	2	2	2	2	2	2	2	-	-	-	-	-	-	-	-	-	
Coupling cord, set			2	2	2	2	2	2	2	2	2	-	-	-	-	-	-	-	-	-	
29RPN-00.09.000			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Attention! Given quantities refer to one coupling cord




Fig. 28 Guard rail, set

ITEM	Part name (Figure 37)	Figure No. or standard No.	Quantity																		
			T671-D/P	T671-D/F	T671-AP/P/WT	T671-AH/P/WT	T671-DK/P/WT	T671/P/WT	T671-AP/P	T671-AH/P	T671-DK/P	T671/P	T671-AP/F/WT	T671-AH/F/WT	T671-DK/F/WT	T671/F/WT	T671-AP/F	T671-AH/F	T671-DK/F	T671/F	
1	Guard rail rack	37RPN-00.00.101	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2	Cover plate	29RPN-00.00.003	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
3	Bolt M8x30-5.8-B-Fe/Zn5	PN-85/M-82105	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	
4	Nut M8-5-B-Fe/Zn5	PN-86/M-82144	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	
5	Washer 8.5 Fe/Zn5	PN-78/M-82005	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	
6	Spring washer Z8.2 Fe/Zn9	PN-77/M-82008	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	
Guard rail, set			37RPN-00.00.100																		




Fig. 29 Strand, set

ITEM	Part name (Figure 38)	Figure No. or standard No.	Quantity																		
			T671-F	T671-DK/F	T671-AH/F	T671-AP/F	T671/F/WT	T671-DK/F/WT	T671-AH/F/WT	T671-AP/F/WT	T671/P	T671-DK/P	T671-AH/P	T671-AP/P	T671/P/WT	T671-DK/P/WT	T671-AH/P/WT	T671-AP/P/WT	T671-D/F	T671-D/P	
1	Left bolt	29RPN-00.00.301	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2	Right bolt	29RPN-00.00.302	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
3	Screwed sleeve	29RPN-00.00.303	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
4	Nut M16-05-B-Fe/Zn5	PN-86/M-82153	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
5	Spring-type straight pin 10X25	PN-89/M850233	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
Strand, set			29RPN-00.00.300																		

Attention! Given quantities refer to one strand




Fig. 30 Support with wheel, set




Fig. 31 Wheel, set

ITEM	Part name (Figure 39)	Figure No. or standard No.	Quantity																	
			T671-F	T671-DK/F	T671-AH/F	T671-AP/F	T671/F/WT	T671-DK/F/WT	T671-AH/F/WT	T671-AP/F/WT	T671/P	T671-DK/P	T671-AH/P	T671-AP/P	T671/P/WT	T671-DK/P/WT	T671-AH/P/WT	T671-AP/P/WT	T671-D/F	T671-D/P
1	Pillar, full assembly	51RPN-18.01.100	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2	Casing	51RPN-18.01.200	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3	Wheel $\phi 320$, set	51RPN-18.01.300	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4	Knob	37RPN-16.01.400	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
5	Axis	51RPN-18.01.001	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
6	Spring	37RPN-16.01.002	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
7	Spring washer	37RPN-16.01.003	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
8	Thrust bearing 51204		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
9	Cone-shaped terminal 460869	MOSS	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
10	Spring-type straight pin 5x40	PN-89/M-85023	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
11	Cotter pin S-Zn 5x40	PN-76/M-82001	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
12	Washer 21 Fe/Zn	PN-78/M-82005	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Support with wheel, set		45RPN-00.14.000																	

ITEM	Part name (Figure 40)	Figure No. or standard No.	Quantity																			
			T671-F	T671-DK/F	T671-AH/F	T671-AP/F	T671/F/WT	T671-DK/F/WT	T671-AH/F/WT	T671-AP/F/WT	T671/P	T671-DK/P	T671-AH/P	T671-AP/P	T671/P/WT	T671-DK/P/WT	T671-AH/P/WT	T671-AP/P/WT	T671-D/F	T671-D/P		
1	Face gear 13.00x15.5	155.13.01	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
2	Tyre 400/60-15.5 TL 14PR A8		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
3	Tube 14.0/65-16+400/60-15.5 TR15		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
	Wheel, set	45RPN-00.09.300																				

Attention! Given quantities refer to one wheel




Fig. 32 Traveling axis

Item	Part name (Fig. 41)	Catalogue No. or standard No.	Quantity
	Bearing axle set	44.00	1
1	Outer bearing	44.01	2
2	Inner bearing	44.02	2
3	Sealing ring	44.03	2
4	Castellated nut	44.04	2
5	Cover plate	44.05	2
6	Pin	44.06	12
7	M18x1,5 nut	44.07	12
8	Spherical washer	44.08	12
9	Brake shoe with lining	44.09	4
10	Front spring	44.10	2
11	Rear spring	44.11	2
12	Brake shoe locking device	44.12	2
13	Left expander	44.13	1
14	Right expander	44.14	1
15	Brake lever	44.15	2
16	Lever cross-bar	44.16	1
17	Drum hub	44.17	2

Attention: Given quantities refer to one traveling axis. When ordering the axis or spare parts for the axis, it is necessary to specify the factory number of the trailer, type of the trailer and type of the axis, engraved on the data plate.




Fig. 33 Rotatable Draught bar




Fig. 34 Draught bar




Fig. 35 Austria Draught bar




Fig. 36 Draught bar with overrunning brake

